

**Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2024 - 2025**

Clinical Material in Hospital

Faculty – Nursing

Name of College/Institute - VSPM College of Nursing, Katol

HOSPITAL DETAILS

Sr. No.	Particulars to be verified		Adequate / Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own / parent Hospital (Affiliated hospital must be 50 bedded or more.)	100 Bedded Parent hospital 1050 Bedded Affiliated Hospital	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.:	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR)	1:3	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%)	75% - 77%	Adequate
d.	Clinical facilities for PG to be verified : (As per MSR) (i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	NA	
	<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark “Adequate” & do not attach any documents. • In case of “Inadequate”, it must be mark as “Inadequate” with evidence. 	NA	



Principal
VSPM College of Nursing
 Late Mangeshkar Hospital Campus
 Katol



PUBLIC HEALTH DEPARTMENT
CIVIL SURGEON, GENERAL
HOSPITAL NAGPUR



Certificate of Registration

Under Section 5 of the
Bombay Nursing Home Registration Act 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to certify that Shri /Smt /Hospital **Medical Superintendent** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of name of Nursing Home **N.K.P Salve Institute of Medical Sciences & Lata mangeshkar Hospital, Khutumbha road, Near Railway Station, katol, Dist: Nagpur** and has been authorized to carry on the said Nursing Home.

Registration No:	117/2016	Maternity	Cots 20
Date of registration:	23/11/2016	Other Nursing Patients	Cots 80

This Certificate shall be valid up to 31st March 2025

Date of Issue: 06/10/2022



Manu
Civil Surgeon
GENERAL HOSPITAL NAGPUR
General Hospital Nagpur



महाराष्ट्र MAHARASHTRA


NOTARIAL REG.
ENTRY NO. 14870
DATE : 27.10.2022

● 2022 ●

मु.वि.हिंगा
प.क ५/२००४
दार्ता नं ५६०८०२

UDERTAKING

35AA 178692



This is to certify that building belongs to VSPM Academy of Higher Education at KH. No. 619 measuring 21784 sq.ft. area of College building and Hostel of 23,180 Sq.ft. besides Lata Mangeshkar Hospital, Khutamba Road, Kotol is allotted to VSPM's proposed College of Nursing for a period of 2 years.

The college building will be constructed within 2 years with all facilities.



Yuvraj Chalkhor
(Prof. Yuvraj Chalkhor)

Secretary
VSPM Academy of Higher Education, Nagpur

Secretary
VSPM Academy of Higher Education
Nagpur



**N.K.P. Salve Institute Of Medical Sciences &
Lata Mangeshkar Hospital**

khutamba Road, Near Railway Station, Katol

Phone 7888006624/25, fax: (07104)306111- e mail: rhtc.katol@gmail.com/website: www.nkpsims.in

Date :- 01/02/2024

NKPSIMS & RC AND LMH/ Comm. Med/ /202

OPD & IPD bed occupancy ratio for Last 3 Years

Particulars	2021	2022	2023
OPD attendance Yearly	23749	23196	21848
IPD Average Yearly Admission	788	4185	5583
Annual Bed Occupancy Min 75%	76.8%	77.34%	76.78%

Azeem

**Medical Superintendent
NKPSIMS and LMH, Katol**

**Medical Superintendent
NKPSIMS & LMH and
Rural Health Training Centre
Katol**

**N.K.P. Salve Institute Of Medical Sciences &
Lata Mangeshkar Hospital**



khutamba Road, Near Railway Station, Katol

Phone 7888006624/25, fax: (07104)306111- e mail: rhtc.katol@gmail.com/website

IPD Beds Distribution

Department	Beds Available
Medicine -30	
Male Medicine Ward	15
Female Medicine Ward	15
Surgery - 30	
Female Surgery ward	15
Male Surgery ward	15
Orthopaedics - 10	
Female Orthopaedics ward	05
Male Orthopaedics ward	05
OBGY	20
Paediatric Ward	10
TOTAL.....	100
Casualty	05
ICU	05
Recovery	05
Major OT	1 Table
Eye OT	1 Table
Labour Room	2 Table
Minor OT	1 Table

A. Salve

Medical Superintendent
NKPSIMS and LMH, Katol

**Medical Superintendent
NKPSIMS & LMH and
Rural Health Training Centre
Katol**

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: pso@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 25/07/2023

No:- Format1.0/PSO/UAN No.0000165605/CO/2307001558

To,
NKPSIMS & LMH RURAL HEALTH TRAINING CENTER
Khutumbha road, Near Railway station
KATOL, Katol (M CI), Nagpur-441302
Email: commmed.nkp@rediffmail.com
Contact No.: 8830333849



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:

1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. format 1.0/RO/UAN No.0000144788/CO/2209001420 dtd.21.09.2022.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 19/03/2023.
3. This office email dtd. 04.05.2023
4. SCN for refusal of application dtd. 13.06.2023
5. Your reply dtd. 14.06.2023; 29.06.2023; 17.07.2023 & 19.07.2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Consent to operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **06-10-2022 To 06-10-2024**
2. The capital investment of the HCF is **₹577.94** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 8049.00 M² with Built-up area 1654.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 117/2016 valid upto 31-03-2025)
 - I. General Beds : **80 Nos**
 - II. Maternity Beds : **20 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 50 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge		10	Kg/M	

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



a255751d
 570a7869
 18aa4692
 1cbf50da
 73cc091e
 e436a03f
 85fba25c
 7e9f9a28

Signed by: Dr. Amar R. Supate
 Principal Scientific Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2023-07-25 11:41:55 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	TXN2303004328	27/03/2023	Online Payment
2	1500.00	TXN2307002549	19/07/2023	Online Payment
3	35548.00	TXN2307002548	19/07/2023	Online Payment

Balance fee of Rs. 50,000/- with board & shall be considered for further renewal of CCA.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - You are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40.00	As per clause 'C'	Recycle & treated sewage used for gardening & remaining send to local body sewer line.
2	Trade effluent	4.5	As per clause 'C'	Recycle & send to STP for further treatment.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D G SET 100 KVA	Diesel	8.00 Ltr/Hr	2.00
2	D G SET 100 KVA	Diesel	8.00 Ltr/Hr	2.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- D.G. Set shall be operated only in case of power failure.
- The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	30.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	35.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	1.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	210.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	85.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	200.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



महाराष्ट्र MAHARASHTRA

● 2023 ●

76AA 752143



Memorandum of undertaking

This memorandum of undertaking on this ----- day
of -----

BETWEEN

VSPM'S COLLEGE OF NURSING KATOL under VSPM's ACADEMY
OF HIGHER EDUCATION Reg. No.732/71(Nagpur) date 13/09/1971 Through
Chairman SHREE RNJEET DESHMUKH. Hereafter called "party No. 1"

AND

NKP SIMS LATA MANGESHKAR HOSPITAL, NAGPUR. Located at Digdoh Hills,
Hingna Road, Nagpur. 440019 represented through its Dean, Dr Kajal Mitra Hereafter
called as "party no. - 2"

- 1) VSPM COLLEGE OF NURSING Khutamba Road Katol Dist Nagpur is under VSPM Academy of Higher Education to spread and promote the Nursing Education for the boys and girls. For B.Sc. Nursing from 2023-2024.
- 2) The Philosophy behind the establishment of VSPM College of Nursing is to educate and train the student nurses professionally, by imparting the professional knowledge as per the syllabus and to keep them in developing Processional skills and to inculcate professional attitude in them to function as a good professional & citizen in the society for promoting health, prevention of illness and rehabilitation of individual, family and community.

3) The party no. 1 is executed this agreement by SHREE RANJEET DESHMUKH age 78 years, Chairman of VSPM AHE, residing at "Matoshree" GPO Square, Civil Lines, Nagpur -440010

4) The party no. 2 is prestigious Multispecialty Hospital having a distinct name in the all fields of health care, new born care and Child health care, Psychiatry Care Party No. 2 is also having renowned name for academy not only for doctors but also for nursing staff,

5) Now Therefore both the parties 1 and 2 agree for :-

- 1) That party no. 1 is having proposed college of nursing (B.Sc. Nursing at Katol) under the affiliation of University Health Science at Nashik.
- 2) That party no. 2 is having 1180 bedded hospital with 40 bedded Psychiatric ward more than 80% occupancy.
- 3) That party no. 1 has requested to party no. 2 for providing their hospital for clinical experience to BS.c Nursing students in Psychiatric Nursing care & in all speciality.
- 4) That party no. 2 has agreed to provide that facilities after starting (Existing) the College.


Place : Nagpur
Party No. 2

Party

F. Mohod
F Chairman
VEDA Academy of Higher Education
Nagpur.

DEAN
N.K.P. Salve Institute
Of Med. Sciences & RC
and LMH, NAGPUR

ATTESTED
Rakesh N. Mohod
Rakesh N. MOHOD
NOTARY
NAGPUR DIST (MS) INDIA



फक्त प्रातेज्ञापत्रासाठी

1) नुसार छित्ती लोटारी अनुक्रमांक..... 38491
दिनांक..... 24-01-2024

३) मुद्रांक विकल्प घेपास्तावे तात
रस्तासावा पत्ता व सही..... V.S.P.M College

For Dipak Sable.....

3) परवानाधारक मुटांक विश्वेश्वारी राही
व परवाना कर्मांक तसेच
मुटांक विक्रीवे ठिकाना

स्नाती सही
College 20/1/2024
24 सुबोध एस. डेंगरे
स्टूडेंट नं. 7/36
विलापिकारी विभाग,
तहतिल नारायण, नारपूर

ज्या कारणासाठी ज्यांनी झुटांक घारेदी केला त्यांनी त्याच कारणासाठी
झुटांक घारेदी केल्यापासून ६ अडिक्यात तापरवे लंब्धकाऱ्हक आवे

J Nursing Kato
Dist. Negros

For
S

24 JAN. 24

